Work Order II January 14; 2011 10:-										Page 1
Item ID: D355 Revision ID:	2-11		Accept					•		
Item Name: Door	Prop							S	top	
Start Date: 1/14/	11 Start Qty: 12.00			Cust Item	ID:				•	
Required Date: 1/21/	11 Req'd Qty: 12.00			Customer:						•
Reference:	(
Approvals: Proc	cess Plan:	Date:	Tooling:	D	ate:		F		for Libraria	
QC:		Date:	SPC (Y/N):	D	ate:			3	Ш	
Sequence ID/ Work Center ID	Operation Description	,	Set Up/ Run Hours	Tool ID	Tool#	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr		:					Mastr	/**/*** ****	
D3552	Rev G									
100			0.00							
	PURCHASING	_			1.	11.	2/16	t		
Purchasing	Memo Issue P/O:	13287	0.00		V	u i	01-19	1		
Purchasing	Purchase I	Part Number: B8-240-57:	5-150N				`			
		LS Technologies of conformity is require	i						•	
			-							
110	Receive & Inspect for	Damage & Mat'l Certs	0.00					1	,	
								11/01	/21 1	(11)
Packaging	Memo		0.00				-1-			
Packaging	Ensure cer	rtificate of conformity is	attached					,		
					(
120	QC6- Inspect dimension	ons to drawing	0.00				_			
			8.1	10/00			(417)			•
QC	Memo		0.00	raid						
Quality Control	Test for co	orrect pressure								

Dart Aerospace Ltd	Dart	Aer	ospa	ace	Ltd
--------------------	------	-----	------	-----	-----

Dait Aci	ospace	LIU								
W/O:			WO	RK ORDER CHANG	ES					
DATE	STEP	PRO	CEDURE CHAI	NGE	By	,	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			====							
Part No	:	PAR #:	Fault Cate	gory:	_ NCR: \	′es N	lo DQ	A :	Date: _	
	Re	esolution:	Disposition	າ:	_ QA: N/	C Clo	sed:		Date: _	
NCR:		\	WORK ORDI	ER NON-CONFORM	ANCE (N	ICR)				
		Description of NC		Corrective Action Sect	ion B		Verifi	cation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng		gn & Date		ion C	Chief Eng	QC Inspector
										·
<u></u>					:					

NOTE: Date & initial all entries

Page 2

January 14, 2011 10:41:35 AM

Item ID:

D3552-11

Item Name: Door Prop

Start Date:

Revision ID:

1/14/11

Required Date: 1/21/11

Start Otv: 12.00

Req'd Qty: 12.00



Accept

Setup Start

Stop



Cust Item ID:

Customer:

Tool ID

Reference:

Approvals:

Process Plan:

Operation

Description

Identify as per dwg & Stock Location: 272

Date:

Date:

Tooling:

SPC (Y/N):

Set Up/

Date:

Date:

Tool # Plan

Run

Start



Stop

Sequence ID/ Work Center ID

130

Packaging Packaging

Memo

0.00

Run Hours.

0.00

Code

Accept Qty

Reject Reject Oty Number

Insp. Stamp

140

Quality Control

OC21- Final Inspection - Work Order Release

0.00

Memo

0.00

11/02/02/ly

Dart Aerospace Ltd

W/O:		•	WO	RK ORDER CHANC	GES				
DATE	STEP	PRO	DCEDURE CHAN	IGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		11-34-3-1-1						1 Tod Mgi	
				,				·	
									
Part No	:	PAR #:	Fault Categ	ory:	NCR: Yes	No DQ	A:	Date: _	
	R	esolution:	Disposition	:	QA: N/C CI	osed:		Date: _	·
NCR:		1	WORK ORDE	R NON-CONFORM	ANCE (NCF	R)			,
DATE	STEP	Description of NC			ction B	Verifi	cation	Approval	Approval
DATE	SIEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign 8 Date	Sect	ion C	Chief Eng	QC Inspector
									•
									-
									1

NOTE: Date & initial all entries

Picklist Print

January 14, 2011 10:41:34 AM

Work Order ID: 65391

Parent Item:

D3552-11

Parent Item Name: Door Prop



Start Date: 1/14/11

Required Date: 1/21/11

Start Qty: 12.00

Required Qty: 12.00

Comments:

IPP Rev:B 09-04-20 rev.d as per dwg DD verifed by:EC

IPP Rev:C IPP Rev:D 10.12.03 as

as per dwg RevE DD 10.02.17 verified by:EC

per dwg rev.G DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
B8-240-575-150N	11	Purchased	No			110	Each	20.0000	1	12	Prespos	/21	(2)


Location	Loc Qty	Loc Code
MAT	20	
65130	20	

Page 1

Dart Aerospace Ltd

W/O:			WO	RK ORDER CHANGE	S				
DATE	STEP	PRO	OCEDURE CHAI	IGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
						<u> </u>			
				,					
Part No	:	PAR #:	Fault Cate	gory:	NCR: Yes	No DQ	A:	Date:	
	R	esolution:	Disposition	n:	QA: N/C CI	osed:		Date: _	
NCR:			WORK ORD	R NON-CONFORMA	NCE (NCF	R)			
DATE	STEP	Description of NC		Corrective Action Section		Verific	cation	Approval	Approval
DAIL									
	SIEF	Section A	Initial Chief Eng	Action Description Chief Eng	Sign 8 Date	Secti		Chief Eng	QC Inspector
	SIEF	Section A						Chief Eng	
	SIEP	Section A						Chief Eng	
	SIEF	Section A						Chief Eng	
	SIEP	Section A						Chief Eng	
	SIEF	Section A						Chief Eng	
	SIEF	Section A						Chief Eng	
	SIEF	Section A						Chief Eng	
	SIEF	Section A						Chief Eng	

NOTE: Date & initial all entries



DART PART NUMBER	DESCRIPTION	STROKE (mm/in)	EXTENDED LENGTH (mm/in)	FORCE (N/lb)	END FITTING	MATERIAL	SUPPLIER	SUPPLIER PART NUMBER OR MODEL NUMBER	ALTERNATE SUPPLIER	ALTERNATE SUPPLIER P/N OR MODEL NUMBER
D3552-1	DOOR PROP	220/8.66	530/20.6	70/15.7	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-220-530-070N	N/A	N/A
D3552-3	DOOR PROP	200/7.87	490/19.3	200/45.0	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-200-490-200N	N/A	N/A
D3552-5	DOOR PROP	175/6.89	430/16.9	150/33.7	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-175-430-150N	-N/A	N/A
D3552-7	DOOR PROP	220/8.66	530/20.9	70/15.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-220-530-070N	N/A	N/A
D3552-9	DOOR PROP	200/7.87	490/19.3	200/45.0	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-200-490-200N	N/A	N/A
D3552-11	DOOR PROP	240/9.45	575/22.6	150/33.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-240-575-150N	N/A	N/A
D3552-13	DOOR PROP	220/8.66	530/20.9	140/31.5	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-220-530-140N	N/A	N/A
D3552-15	DOOR PROP	139/5.47	386/15.2	300/67.4	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-300N	SUSPA, Inc.	16-2-210-139-A101-B101-400I
D3552-17	DOOR PROP	139/5.47	386/15.2	156/35.1	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-156N	SUSPA, Inc.	16-2-210-160-A101-B101-156I
D3552-19	DOOR PROP	139/5.47	386/15.2	60/13.5	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-060N	SUSPA, Inc.	16-2-210-139-A101-B101-060I
D3552-101	CLIP	N/A	N/A	N/A	N/A	CARBON STEEL	LS TECHNOLOGIES	C9	N/A	N/A
D3552-103	BALL SOCKET END	N/A	N/A	N/A	N/A	NYLON	LS TECHNOLOGIES	B10	N/A	N/A

D3552-X DOOR PROP

DESIGN	1	JPH	DADT AEDOCDA	CEL	70
REV.			DESCRIPTION	BY	DATE
Α	NEW IS	SUE	·	LE	06.09.15
В	ADD D3	552-7/-9, UPDA	ATE DESC. D3552-1/-3/-5	LE	06.10.24
С		552-11 AND CO P/N FOR D35	ONVERSIONS FOR INSPECTION; 52-7	LE	07.06.01
D	D1-1 AN	D C2-1 AND ZN	N D6-1, C7-1, C1-1 AND D3552-103 ZN N B8-1; ADD NOTE REGARDING I-103 COMPATIBILITY ZN A8-1	HS	09.04.02
E	ADD P/N FROM TO DWG	I D3552-13 ZN GAS SPRING"	B8-1, A8-1, D6-1, CHANGE NAME TO "DOOR PROP" THROUGH OUT	HS	10.02.03
F	ADD P/N	D3552-15/-17	/-19 AND ALTERNATE SUPPLIER	JPH .	10.07.27
G	154-387	300N WAS B8- WAS 160/6.30	17.4 WAS 400/89.9, SUPPLIER P/N B8- -154-387-400N; FOR -17, STROKE: 0, EXT LG: 386/15.2 WAS 407/16.0, -387-155N WAS B8-167-408-156N	JPH	10.11.01

DESIGN	JPH	DART AEROS	PACE LTD
DRAWN	JFH	HAWKESBURY, ON	
CHECKED	13	DRAWING NO.	REV. G
MFG. APPR.	N/A	D3552	SHEET 1 OF
APPROVED		TITLE	SCALE
DE APPR.		DOOR PROP	NTS
DATE 10.	11.01	COPYRIGHT © 2006 BY DA THES DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS IN NOT TO BE LISTO FOR ANY PURPOSE OR COPED OR CO	SUPPLED ON THE EXPRESS CONCITION THAT IT IS

NOTES: 1) IDENTIFICATION: IDENT P/N D3552-X & B/N PER QSI 044 6.2 - 한 D3552-101 CLIP IS ONLY COMPATIBLE WITH D3552-1/-3/-5 DOOR PROPS 3) D3552-103 BALL SOCKET END IS ONLY COMPATIBLE WITH D3552-7/-9/-11/-13/-15/ 17/-19 DOOR PROPS



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO13287

Purchase Order Date 1/14/11 PO Print Date 1/14/11

Page Number 1 of 1

Order From:

VC-LST0001

LS TECHNOLOGIES INC. 303-103 STREET SASKATOON, SK S7N 1Y9

CA

Contact Name

Vendor Phone

306 683 5000

Vendor Fax

306 683 6403

Vendor Account Nbr

Buyer

Requisition Nbr

Tax Resale Nbr

Net 30

Terms Currency

CAD

10127-2607

FOB

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Line N	br Reference Revision ID	Description/ Mfg ID	Req Date/ Re Taxable Unit of M	q Qty/ easure	Ship Method	Unit Price	Extended Price
1	Vendor Part Number B8-240-575-150N	GAS SPRING	1/14/11 Yes	12.00 Each	FedEx Overnigh	\$41.3640	\$496.37

Special Inst:

PER DRWG D3552 REV.G

LS TECHNOLOGY P/N B8-240-575-150N

PO Total:

\$496.37

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

Change Date: 1/14/11

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

LS Technologies Canada Inc.

303 - 103 Street Saskatoon, SK Canada S7N 1Y9

Packing Slip

Date	Invoice #
1/14/2011	6848

Name / Address	
Dart Aerospace Ltd 1270 Aberdeen St. Hawkesbury, ON K6A 1K7	

Ship To

Main Finished Goods Location

Dart Aerospace Ltd
1270 Aberdeen St.

Hawkesbury, ON K6A 1K7

P.O. No.	Ship	Via	FOB	Project
13287	1/14/2011	Fed-Ex		

Qty	Description
(12	B8-240-575-150N Gas spring
	Shipping Via FED EX Tracking # 576900015000188
	CZNIONZI
	• •



303 – 103rd Street, Saskatoon, Saskatchewan, Canada S7N 1Y9 Ph: (306) 683-5000 Fax: (306) 683-6403

Certificate of Compliance Jan 14, 2011

This is to certify that the parts listed below meets specifications as required by your order.

12 Units: B8-240-575-150N Gas Spring (D3552-11 Rev G) Carbon Steel Gas Spring

Country of Manufacture: Canada Date of Manufacture: Jan 2011 This product is ROHS compliant.

Sulvely

We certify no mercury was used in the manufacture of this order.

Purchase Order # (3287) Invoice # 6848

L S Technologies Inc Canada

Nolan Fehr Manager